EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S190	0	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and roam$3 with charges and negotiat$4 and communications with network and (leasing or negotia$5) and network$1 with provid$3 same service and credit adj check$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/09 17:34
S191	1	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and roam$3 with charges and negotiat$4 and communications with network and credit adj check$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/09 17:35
S194	1	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and roam$3 with charges and negotiat$4 and communications with network and credit near2 (worthy or worthiness or check$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/09 17:47
S195	0	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and roam$3 with charges and negotiat$4 and communications with network and credit near2 (worthy or worthiness or check$1) and bandwidth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/09 17:48
S196	1	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and roam$3 with charges and negotiat$4 and communications with network and credit near1 (worthy or worthiness or check$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 11:16

S197	1	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and roam$3 with charges and negotiat$4 and communications with network and credit adj (worthy or worthiness or check$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 11:27
S198	1	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and roam$3 with charges and negotiat$4 and communications with network and credit adj (worthy or worthiness or check$1) and billing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 11:28
S199	35	"5862471"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 11:33
S200	11	"5862471" and credit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 11:34
S201	1	"20040132449" and billing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 12:40
S202	0	"20040132449" and billing same other	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 12:42
S203	1	"20040132449" and (billing or payment$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 12:42
S204	1	"20040132449" and (billing or payment$1) same visit$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 12:42

S205	0	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and (broker$3 or middleman or mediat$4) same (communications or wireless) with network same communication$1 and provider$1 with availab$5 with (rout$3 or path$1 and bandwidth) same (alert$3 or notif$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 22:59
S206	27	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and (communications or wireless) with network same communication$1 and provider$1 with availab$5 with (rout$3 or path$1 and bandwidth) same (alert$3 or notif$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:00
S207	36505	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and (communications or wireless) with network same communication$1 and provider$1 with availab$5 ear4 (rout$3 or path$1 and bandwidth) same (alert$3 or notif$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:02
S208	1	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and (communications or wireless) with network same communication$1 and provider$1 with availab$5 near4 (rout$3 or path$1 and bandwidth) same (alert$3 or notif$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:03

S209	0	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and (broker$3 or middleman or mediat$4) same (communications or wireless) near3 network same (alert$3 or notif$4) near5 availab$5 same (rout$3 or path$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:04
S210	20	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and (broker$3 or middleman or mediat$4) same (communications or wireless) near3 network same availab $5 same (rout$3 or path$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:04
S211	41	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and (broker$3 or middleman or mediat$4 or negotiat$4) same (communications or wireless) near3 network same availab$5 same (rout$3 or path$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:07
S212	6	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and (broker$3 or middleman or mediat$4 or negotiat$4) with (communications or wireless) near3 network same availab $5 same (rout$3 or path$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:07
S213	1	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and (broker$3 or middleman or mediat$4 or negotiat$4) with (communications or wireless) near3 network same availab $5 with (route or routes or routing or path$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:08

S214	6	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and (broker$3 or middleman or mediat$4 or negotiat$4) with provider$1 with (communications or wireless) near5 network and availab$5 with (route or routes or routing or path$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:09
S215	5	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and (broker$3 or middleman or mediat$4 or negotiat$4) with provider$1 same (communications or wireless) with network$1 and (messag $3 or notify$3 or alert$3) with availab$5 with (route or routes or routing or path$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:13
S216	0	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and negotiat$4 with provider$1 with (communications or wireless) with network$1 and (messag$3 or notify$3 or alert $3) with availab$5 with (route or routes or routing or path$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:16
S217	0	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and negotiat$4 same provider$1 with (communications or wireless) with network$1 and (messag$3 or notify$3 or alert $3) with availab$5 with (route or routes or routing or path$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:16

S218	0	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and negotiat$4 same provider$1 same (communications or wireless) with network$1 and (messag$3 or notify$3 or alert $3) with availab$5 with (route or routes or routing or path$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:16
S219	52	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and negotiat$4 with service$1 and provid$3 same (communications or wireless) with network$1 and (messag $3 or notify$3 or alert$3) with availab$5 with (route or routes or routing or path$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:22
S220	38	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and negotiat$4 with service$1 and provid$3 same (communications or wireless) with network$1 and (messag $3 or notify$3 or alert$3) with availab$5 with (route or routes or routing or path$1 and bandwidth) and credit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:22
S221	0	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and negotiat$4 with service$1 same provid$3 with (communications or wireless) with network$1 and (messag $3 or notify$3 or alert$3) with availab$5 with (route or routes or routing or path$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:36

S222	35	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and negotiat$4 with service$1 and provid$3 with (communications or wireless) with network$1 and (messag $3 or notify$3 or alert$3) with availab$5 with (route or routes or routing or path$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:36
S223	4	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and negotiat$4 with service$1 and provid$3 with (communications or wireless) with network$1 same roam$3 and (messag$3 or notify$3 or alert$3) with availab$5 with (route or routes or routing or path$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:39
S224	0	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and negotiat$4 with service$1 same provid$3 same (communications or wireless) with network$1 same roam$3 and (messag$3 or notify$3 or alert$3) with availab$5 with (route or routes or routing or path$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:44

6/28/08 2:00:56 PM
C:\ Documents and Settings\ fnelson1\ My Documents\ EAST\ Workspaces\ 10720946c.wsp